Southern Patio ™

UMB-005464

9′ SQUARE DOUBLE TOP OFFSET UMBRELLA

USER MANUAL



SOUTHERN PATIO

www.southernpatio.com

4400 COMMERCE CIRCLE
ATLANTA, GEORGIA 30336
Toll Free 1-800-729-5033
Monday through Friday from 8:00am-6:00pm
Eastern Standard Time

9′ SQUARE DOUBLE TOP OFFSET UMBRELLA



1. Please keep this page for your records in case you should ever needs parts.

2. If you find that any part is missing or broken, please reference the above schematic for the part number.

3. Please call our friendly and knowledgeable Customer Service Department toll free at 1-800-729-5033 to order parts.

Parts List

NO.	Description	Qty.	No.	Description	Qty.
1(D)	Upper cross leg	1pc	21	Top Rib Holder	1pc
2(G&H)	Holder Pole Screw & Holder Pole Washer	4pcs	22	Decorative Cap	1pc
3(C)	Lower cross leg	1pc	23&24	Lock Screw	8pcs
4(F)	Holder Pole	1pc	25	Rib Support Bar	4pcs
5	Control Knob	2pcs	26	Side Rib	3pcs
6	Stop Pin	2pcs	27	Connector	7pcs
7	Crank Assembly	1pc	28	Under Side Rib	3pcs
8	Main Arm Pulley	1pc	29	Middle Rib Holder	1pc
9	Slide Collar	1pc	30	Rib Holder Support Pole	1pc
10	Stop Pin with chain	1pc	31	Lower Rib Holder	1pc
11	Short Rib Bracket	1pc	32&33	Lower Rib Holder Cap	1pc
12	Small Main Arm	1pc	UAS-016804	Canopy	1pc
13	Cord	1pc	36	Corner Rib	4pcs
14	Pull Handle	1pc	37	Holder Pole Ring	1pc
15	Pole Top Decorative Cap	1pc	38	Small Slide Collar Pulley	2pcs
16	Top Collar	1pc	39	Pole Pulley	1pc
17	Small Main Arm	1pc	40	Big Slide Collar Pulley	1pc
18	Main Bracket	1pc	41	Middle Rib Holder Pulley	1pc
19	Main Arm	1pc	49	Under Corner Rib	4pcs
20	Vent Rib	4pcs			

Summary of the Instructions for Set-up and Installation

(1) Set up cross leg base according to the **Assembly Instructions for Cross Leg Base**.

.

(2) Insert umbrella into holder pole F, lock the two Control Knobs on the holder pole to tighten umbrella as shown in Fig. A.

(3) Turn the Handle crank on the pole until the lower arm begins to move up the pole. Place pin in desired hole to create various positions as shown in Fig. B. The higher the placement, the less the angle of the canopy when fully opened. To open umbrella so that it is level with ground, do not use pin at all.



Fig. A



Fig. B

WARRANTY:

Our umbrellas are warranted for 90 days against manufacturer's defects or canopy fading.

This warranty does not including damage as a result of wind or negligence.

CARE INSTRUCTIONS:

Simply clean the umbrella canopy with a soft brush and mild detergent!

Do Not Machine wash. Dry on frame.

Assembly Instructions for Cross Leg Base

Step 1, Verify all parts packed in the carton against the base parts list. If any parts are missing please call Customer Service at 1-800-729-5033. Remove all protective materials; be careful not to throw away small pieces such as screws or washers. Place parts on a non-abrasive surface to avoid scratching.

NO.	Parts	Description	Qty.
C		Lower cross leg	1pcs
D		Upper cross leg	1pcs
F		Holder pole	1pcs
G		Holder pole screw	4pcs
H		Holder pole washer	4pcs

Step 2, Turn over and remove all screws and washers from the bottom of Cross Leg Base as shown in Fig.1. Set aside for use in Step 5.



Fig.1

Step 3, Place Lower Cross Leg on the floor and line up notches so that Cross Legs form an “X” or “T” as shown in Fig.2.

Step 4, Place Holder Pole on top the “X” or “T” base and align the holes as shown in Fig.3.



f Fig.2

Step 5, Attach the Holder Pole to the base by using the Screws and Washers from Step.2 as shown in Fig.4. Hands tighten only.

Step 6, Adjust the stand to be sure it is positioned correctly on the base.

Step 7, Use the included Allen wrench and Hex wrench to tighten all screws. Be careful not to over tighten.

Your Umbrella Base is now ready for use!



Fig.4

f Fig.3

Note: It is recommended that there be 150 pounds of weight such as patio stones or umbrella base placed on the Cross Legs for product stability. Holes are provided for optional attachment to a deck or patio.